

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1239/CPR/0823103

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it's certified that the

Construction product: **Building hardware - Locks and latches - Electromechanically operated locks and striking plates**

Scope of Certification: **SF 99 Series electric strikes**
(references)

References included in each of the certified series are listed in the annex of this certificate

Product classification:

| | | | | | | | | |
|----------------------|----------|----------|----------|----------|----------|----------|----------------------|----------|
| 3¹ | C | 5 | F | 0 | 0 | 2 | 1² | 0 |
| (1) | (2)* | (3)* | (4)* | (5) | (6) | (7) | (8) | (9) |

¹ When installed in conjunction with a grade 3 category of use lock.

² Strikes with microswitch, otherwise grade will be 0.

Provided and Produced by: **MONTAJES ELECTRONICOS DORCAS, S.L.**
C/ Jose Serrano, 6
46392 SIETE AGUAS (Valencia) SPAIN

Is subject to a factory production control and to the inspection of samples in accordance to a prescribed test plan by the manufacturer, and that the Notified Body TECNALIA R&I CERTIFICACION S.L. has carried out initial type tests for all relevant characteristics of the product, as well as the initial inspection of the factory and FPC, and the continuous surveillance, assessment and approval of FPC

This certificate shows compliance with all regulations applicable to the conformity assessment in the Annex ZA of the standard

EN 14846:2008

and that the product meets the minimum requirements applicable. Those digits identified with * are referred to the essential characteristics shown in table ZA.1 of the standard and therefore are the only ones covered by ENAC's accreditation.

System of assessment and verification of constancy of performance: SYSTEM 1

Issued on:
Last modified on:
Expires on:
Serial no: 082310303-E

17/05/2021
03/10/2023
29/03/2027

Carlos Nazabal Alsua
Manager



This document allows the manufacturer to fix the CE mark.

This certificate may be modified, temporarily suspended and withdrawn by TECNALIA R&I CERTIFICACION.

The validity of this certificate can be checked through consultation in www.tecnaliacertificacion.com.

ANNEX CERTIFICATE OF CONSTANCY OF PERFORMANCE 1239/CPR/0823103

Construction product: Electromechanically operated striking plates.

1. Operating modes:

| Model | Main housing | Control signal functioning | Jaw | TOP system | Door status indication |
|-------|--------------|-----------------------------------|--------------------------|----------------------|---------------------------|
| SF 99 | 1 | N = Normal (maintained signal) | F = Flex (adjustable) | - | - |
| | 11 | | | (without TOP system) | |
| | 111 | | | TOP | 305 (with microswitch) |
| | 2 | | | TOP DOBLE | |
| | 22 | | | SUPL. TOP | |
| | 222 | | | SUPL. TOP DOBLE | |

2. Coils included in the scope of the certification:

| Coils | Ω | Power supply | |
|--------------------------------|----------|-----------------|-----------------|
| | | V _{AC} | V _{DC} |
| Model 6-12 | 8 | 6-12 | 6-12 |
| Model 8-12 | 17 | 8-12 | 8-12 |
| Model 24 | 58 | 24 | - |
| Model 10-24 V | 38 | 10-24 | 10-24 |
| Model 10-24 V | 43 | 10-24 | 10-24 |
| Uninterrupted Model 10-24 V | 38 | - | 11-12 |
| Uninterrupted Model 10-24 V | 43 | - | 11-12 |
| Model 424 | 132 | - | 24 |

3. Faceplates suitable for deadbolt locks: LX, GX, TX, OVALX, GEX, MX, F101X, F102X, F103X, F104X, YLX, YGX, YMX, YL2X, YG2X and YM2X.

